

Stackable BESS (HV) (9.6-25.6) kWh

Smarter Power Better Life



KEY FEATURES



IP65

High protection level for indoor & outdoor

Easy

Quick installation with stackable modules

35_{kg}

Lightweight modules per unit

10_{Years}

Warranty with 1000-hour salt spray test

OTA

Real-time monitoring & remote upgrades



Stackable BESS (HV) (9.6-25.6) kWh

Type Designation	SieB-H9600-F	SieB-H12K8-F	SieB-H16K0-F	SieB-H19K2-F	SieB-H22K4-F	SieB-H25K6-F	
Technical data							
Usable energy* [kWh]	9.60	12.80	16.00	19.20	22.40	25.60	
Depth of discharge	Max.100% DOD (settable)						
Module type	SieB-H3200-F						
Module parameter	64V 50Ah 615*360*165mm 33.3±0.5kg						
Cell type	LFP (LiFePO4)						
Max. module configuration	3	4	5	6	7	8	
Cell configuration Nominal voltage [V]	1P60S 192	1P80S 256	1P100S 320	1P120S 384	1P140S 448	1P160S 512	
Operating voltage range [V]	171-216	228-288	285-360	342-432	399-504	456-576	
Max. continuous current** [A]	30						
Max. continuous power** [kW]	5.76	7.68	9.60	11.52	13.44	15.36	
Short circuit current [A]	40						
Communication	CAN / RS485						
Weight [kg]	120	155	190	225	260	295	
Dimensions (W*D*H) [mm]	615*360*730	615*360*880	615*360*1030	615*360*1180	615*360*1330	615*360*1480	
Operating temperature [°C]	Charge: 0-50 / Discharge: -20-50						
Storage temperature [°C]	-20-45 (≤1Month) / -20-25 (≤6 Months)						
Humidity [%]	5-95						
Altitude [m]	≤2000						
Degree of protection	IP65 (Indoor / Outdoor)						
Cooling	Natural convection						
Installation location	Floor-standing						
Display		SOC indicator, Status indicator					
Warranty***	10 Years						

^{*} Test conditions: 3.0V-3.5V, 0.2C Charge (CC-CV) and discharge at 25±3°C, 100% depth of discharge (DOD);

 $[\]hbox{** Max. Continuous Current/Power derating will occur related to temperature / SOC / Humidity;}\\$

^{***} Refer to Swatten SieB-H-F Limited Warranty Letter;



Full Range From Power Generation, Transmission, Distribution To

Energy Storage

32 years

With 32 years of experience, specialized in equipment manufacturing and engineering services

Public Co.

Founded in 1993 Stock listed in 2004 (SZSE002028)

US\$3.2 Billion

2024 Turnover

1400+

1411 Qualified engineers are the driving force behind the exceptional R&D progress

TOP 3

Sieyuan思源电气 Electrical Equip. Manufacturer

22

22 Manufacturing bases

100+

With 10,000+ employees in 100+ countries and regions

1,000kV


Full range product: 10kV -1,000kV

esGrid Grid-level energy storage

Sieyuan Utility Scale BESS



C&l and Residential BESS





(

Swatten Europe Case

















く

Swatten APAC Case



















Facebook



Linkedin



YouTube



